

MATERIAL SAFETY DATA SHEET
BLUE FOAMING WAX

RYKO MANUFACTURING CO.
11600 NW 54TH AVE.
GRIMES, IA 50111
515-986-3700
EMERGENCY PHONE NO.: CHEMTREC 1-800-424-9300 (U.S. and Canada)

SECTION I - PRODUCT INFORMATION

PRODUCT NAME: Blue Foaming Wax
PRODUCT PART NUMBER(S): 11773-204, 11773-210
CHEMICAL NAMES AND SYNONYMS: N/A
CHEMICAL FAMILY: N/A
FORMULA: Proprietary Information

SECTION II - HAZARDOUS INGREDIENTS

NOTE: This product does not contain any hazardous ingredients as defined by OSHA 29 CFR 1910.1200.

SECTION III - PHYSICAL DATA

BOILING POINT: < 212°F
FREEZING POINT: UNK
VAPOR PRESSURE: UNK
VAPOR DENSITY (AIR = 1): UNK
pH: N/A
APPEARANCE & ODOR: Blue liquid. Lemon odor.

SPECIFIC GRAVITY: 1.03
VOLATILE BY VOLUME: UNK
EVAPORATION RATE: (N-Butyl Acetate=1) UNK
SOLUBILITY IN WATER: Complete

SECTION IV - FIRE AND EXPLOSION HAZARD DATA

FLASH POINT: UNK
FLAMMABLE LIMITS (% volume in air): LEL: UNK UEL: UNK
EXTINGUISHING MEDIA: For fires in area, use appropriate media. For example: water spray. Dry chemical. Carbon dioxide. Alcohol foam.
SPECIAL FIRE FIGHTING PROCEDURES: None
UNUSUAL FIRE AND EXPLOSION HAZARDS: None

SECTION V - HEALTH HAZARD DATA

THRESHOLD LIMIT VALUE Not establish (OSHA 29 CFR 1910.Z)
Not establish (ACGIH 1985-86)

EFFECTS OF OVEREXPOSURE

Eye Contact: Short term liquid or vapor contact may result in slight irritation. Prolonged or repeated contact may be more irritating.
Skin Contact: May cause mild irritation to skin.
Inhalation: Mist may irritate nasal passages.
Ingestion: May cause nausea and vomiting.

EMERGENCY AND FIRST AID PROCEDURES

Eye Contact: Immediately flush with plenty of water for a least 15 minutes. Hold eyelids open during this flushing with water. Call a physician immediately.
Skin Contact: Flush area with water while removing contaminated clothing and shoes. Do not reuse clothing or shoes until cleaned. If irritation persists, get medical attention.
Inhalation: Remove victim to fresh air. If not breathing, give artificial respiration, preferably mouth-to-mouth. If breathing is difficult, give oxygen. CALL A PHYSICIAN.

MSDS # 15419-007
PRODUCT # 11773-204
11773-210
REV. B ECO 593-62
APRV: JT DATE: 06/04/93

For Field Use Only

MATERIAL SAFETY DATA SHEET
BLUE FOAMING WAX

PAGE 3 OF 3

The information and recommendations provided in this Material Safety Data Sheet have been obtained from data we believe to be reliable. We provide no warranties, expressed or implied, or accept no responsibility for loss associated with the use or handling of this product. This information is offered for your review and consideration. Efforts should be extended to determine the applicability of this product for your specific intended use. RYKO Manufacturing Company knows of no medical condition, other than those noted on the Material Safety Data Sheet, which are generally recognized as being aggravated by exposure to this product.

MSDS # 15419-007
PRODUCT # 11773-204
11773-210
REV. B ECO 593-62